



# Clean Performance Starts Here.

Driven by Innovation. Trusted by Professionals. High-purity Diesel Exhaust Fluid (AUS32 / AdBlue / DEF) for BS-IV and BS-VI SCR diesel vehicles, fleets, depots and industrial buyers.



**ISO 22241**

AUS32 quality



**IS 17042**

Indian standard

A procurement-ready view of the DEF quality signals that matter to fleet operators, distributors and industrial buyers.



## ISO 22241

International AUS32 quality reference for urea concentration, purity, handling and testing.



## IS 17042

### Product

AUS32 / DEF / AdBlue

### Urea concentration

32.5%

### Vehicle class

BS-IV and BS-VI SCR diesel

### Storage

Sealed, shaded, contamination-free

### Common packs

5L, 10L, 20L, 35L, 210L, 1000L

### Technology

Advanced Molecular Technology

Keep the sales path simple: buyers should instantly see pack sizes and the sectors PROTICKS serves.



## Car & SUV Owners

Retail packs for passenger diesel vehicles.

## Truck Fleet Owners

Wholesale supply for transport companies.

## Concrete Mixer Trucks

Bulk supply for RMC and construction fleets.

## Buses & Travel Agencies

Reliable supply for long-distance passenger transport.

## Genset Maintenance

DEF for stationary BS-VI power generators.

## Distributors

Dealer-ready packaging and regional support.

## 03 Storage, Handling & Contact

---

DEF quality is protected by clean storage and dedicated dispensing discipline.

- **Store sealed, shaded and ventilated.**
- **Keep between -6 C and 30 C where practical.**
- **Use clean, dedicated dispensing tools.**
- **Avoid dust, dirt and unsuitable metals.**
- **Never mix DEF with diesel, oil or coolant.**
- **Fill only into the dedicated DEF / AdBlue tank.**

### Request Supply

Share your location, monthly consumption and required pack size. PROTICKS will help match the right supply format.

**+91 74909 17799**

**info@proticks.com**

16 - Elite Luxuria 4, Bedi Port  
Ring Road, Jamnagar -  
361006, Gujarat, India